Nutritional Assessment Questionnaire 1.5

Name:	Date:/
Birth Date:	Gender:
Please list your five major health concerns in order of it	
1.	Notes:
PART I Read the following questions and circle the	number that applies:
KEY: 0 = Do not consume or use 1 = Consume or use 2 to 3 times monthly	2 = Consume or use weekly 3 = Consume or use daily
DIET	58
1. 0 1 2 3 Alcohol 7. 0 1 2 3 Gigars 2. 0 1 2 3 Artificial sweeteners 8. 0 1 2 3 Caffei 3. 0 1 2 3 Candy, desserts, refined sugar 9. 0 1 2 3 Fied 4. 0 1 2 3 Carbonated beverages 11. 0 1 2 3 Lunch 5. 0 1 2 3 Cigarettes 13. 0 1 2 3 Milk p	inated beverages 15. 0 1 2 3 Refined flour/baked goods foods 16. 0 1 2 3 Vitamins and minerals foods 17. 0 1 2 3 Water, distilled neon meats 18. 0 1 2 3 Water, tap arine 19. 0 1 2 3 Water, well
LIFESTYLE	12
month) 22. 0 1 2 3 Changed jobs (0 = over 12 months ago, 1 = within I 23. 0 1 2 3 Divorced (0 = never, over 2 years ago, 1 = within I 24. 0 1 2 3 Work over 60 hours/week (0 = never, 1 = occasional 25. 0 1 Antacids 26. 0 1 Antacids 27. 0 1 Anticonvulsants 28. 0 1 Anticonvulsants 29. 0 1 Antidepressants 30. 0 1 Antifungals 31. 0 1 Aspirin/Ibuprofen 32. 0 1 Asthma inhalers 33. 0 1 Beta blockers 34. 0 1 Birth control pills/implant contraceptives 35. 0 1 Chemotherapy 36. 0 1 Cholesterol lowering medications 37. 0 1 Cortisone/steroids 38. 0 1 Diabetic medications/insulin	ast 2 years, 2 = within last year, 3 = within last 6 months) ally, 2 = usually, 3 = always)
PART II (See key at bottom of page)	
Section 1 — Upper Gastrointestinal System 52. 0 1 2 3 Belching or gas within one hour after eating 53. 0 1 2 3 Heartburn or acid reflux 54. 0 1 2 3 Bloating within one hour after eating 55. 0 1 Vegan diet (no dairy, meat, fish or eggs) (0=no, 1=yes) 56. 0 1 2 3 Bad breath (halitosis) 57. 0 1 2 3 Loss of taste for meat 58. 0 1 2 3 Sweat has a strong odor 59. 0 1 2 3 Stomach upset by taking vitamins 60. 0 1 2 3 Sense of excess fullness after meals	61. 0 1 2 3 Feel like skipping breakfast 62. 0 1 2 3 Feel better if you don't eat 63. 0 1 2 3 Sleepy after meals 64. 0 1 2 3 Fingernails chip, peel or break easily 65. 0 1 2 3 Anemia unresponsive to iron 66. 0 1 2 3 Stomach pains or cramps 67. 0 1 2 3 Diarrhea, chronic 68. 0 1 2 3 Diarrhea shortly after meals 69. 0 1 2 3 Black or tarry colored stools 70. 0 1 2 3 Undigested food in stool
KEY: 0=No, symptom does not occur 1=Yes, minor or mild symptom, rarely occurs (monthly)	2=Moderate symptom, occurs occasionally (weekly) 3=Severe symptom, occurs frequently (daily)

Sec.	tion 2 –	Liver and Gallbladder						
71.	0 1 2 3	Pain between shoulder blades	85.	0 -		Easily hung over if you were to drink wine (0=ne		
72.	0 1 2 3	Stomach upset by greasy foods				1=yes)		
′ 3.	0 1 2 3	Greasy or shiny stools	86.		1 2 3			
4.	0 1 2 3	Nausea	87.	0		Recovering alcoholic (0=no, 1=yes)		
5.	0 1 2 3	Sea, car, airplane or motion sickness	88.	0 -		History of drug or alcohol abuse (0=no, 1=yes)		
6.	0 1	History of morning sickness (0 = no, 1 = yes)	89.	0 .		History of hepatitis (0=no, 1=yes)		
7.	0 1 2 3	Light or clay colored stools	90.	0 .	ı	Long term use of prescription/recreational drug		
8.	0 1 2 3	Dry skin, itchy feet or skin peels on feet	04	0		(0=no, 1=yes)		
9.	0 1 2 3	Headache over eyes	91.	0 '	1 2 3	\(\(\)\(\)		
0.	0 1 2 3	Gallbladder attacks (0=never, 1=years ago,	02	0		agents, etc.) Sensitive to tobacco smoke		
1.	0 1	2=within last year, 3=within past 3 months) Gallbladder removed (0=no, 1=yes)			123 123			
2.	0 1 2 3	Bitter taste in mouth, especially after meals				Pain under right side of rib cage		
3.	0 1 2 3	Become sick if you were to drink wine (0=no,				Hemorrhoids or varicose veins		
J.	0 1	1=yes)				Nutrasweet (aspartame) consumption		
4.	0 1	Easily intoxicated if you were to drink wine			123			
ᢇ.	0 1	(0=no, 1=yes)				Chronic fatigue or Fibromyalgia		
-	tion 2					- Chilothic langue of Fibrothyalgia		
		Small Intestine						
		Food allergies	108.	0 1	2 3			
0.		Abdominal bloating 1 to 2 hours after eating				2=currently mild condition, 3=severe)		
1.	0 1	Specific foods make you tired or bloated (0=no,	109.					
_		1=yes)	110.					
2.	0 1 2 3	Pulse speeds after eating	111.	0 1		Are there foods you could not give up (0=no,		
	0 1 2 3	Airborne allergies	440			1=yes)		
4.		Experience hives	112.					
	0 1 2 3	Sinus congestion, "stuffy head"	113.					
	0 1 2 3	Crave bread or noodles	114.			•		
	0 1 2 3	Alternating constipation and diarrhea	115.	0 1	2 3	Feel spacey or unreal		
ec.	tion 4 –	Large Intestine						
6.	0 1 2 3	Anus itches	126.	0 1	2 3	Stools have corners or edges, are flat or ribbon		
7.	0 1 2 3	Coated tongue				shaped		
8.	0 1 2 3	Feel worse in moldy or musty place	127.	0 1	2 3	Stools are not well formed (loose)		
9.	0 1 2 3	Taken antibiotic for a total accumulated time of	128.	0 1	2 3	Irritable bowel or mucus colitis		
		(0=never, 1= <1 month, 2= <3 months, 3= >3	129.					
		months)	130.	0 1	2 3			
0.	0 1 2 3	Fungus or yeast infections	131.					
1.	0 1 2 3	Ring worm, "jock itch", "athletes foot", nail fungus	132.					
2.	0 1 2 3	Yeast symptoms increase with sugar, starch or	133.	0 1	2 3	Painful to press along outer sides of thighs		
		alcohol				(Iliotibial Band)		
3.	0 1 2 3	Stools hard or difficult to pass				Cramping in lower abdominal region		
4.	0 1	History of parasites (0=no, 1=yes)	135.	0 1	2 3	Dark circles under eyes		
5.	0 1 2 3	Less than one bowel movement per day						
)C	tion 5 –	Mineral Needs						
6.	0 1	History of carpal tunnel syndrome (0=no, 1=yes)	150.	0	1	History of bone spurs (0=no, 1=yes)		
7.	0 1	History of lower right abdominal pains or	151.	0	1 2 3	Morning stiffness		
		ileocecal valve problems (0=no, 1=yes)	152.					
	0 1	History of stress fracture (0=no, 1=yes)	153.					
	0 1 2 3	Bone loss (reduced density on bone scan)				Feet have a strong odor		
0.	0 1	Are you shorter than you used to be? (0=no,	155.					
		1=yes)	156.					
	0 1 2 3	Calf, foot or toe cramps at rest	157.					
	0 1 2 3	Cold sores, fever blisters or herpes lesions	158.			, ,		
3.	0 1 2 3		159.	0	1 2 3			
4.	0 1 2 3	Frequent skin rashes and/or hives	160.	0	1 2 3	·		
5.	0 1	Herniated disc (0=no, 1=yes)				Gag easily		
6.	0 1 2 3	Excessively flexible joints, "double jointed"				2 3 White spots on fingernails		
7.	0 1 2 3	Joints pop or click				Cuts heal slowly and/or scar easily		
	0 4 0 0	Pain or swelling in joints	164.	0	1 2 3	Decreased sense of taste or smell		
	0 1 2 3 0 1 2 3	Bursitis or tendonitis		0		Beeredoed define of table of afficial		

Sec	tion 6 –	Essential Fatty Acids		· •	22
165. 166. 167.	0 1 0 1 2 3 0 1 2 3	Experience pain relief with aspirin (0=no, 1=yes) Crave fatty or greasy foods Low- or reduced-fat diet (0=never, 1=years ago, 2=within past year, 3=currently)	170. 171.		Sunburn easily or suffer sun poisoning Muscles easily fatigued
		Tension headaches at base of skull		,,	
Sec	tion 7 – 3	Sugar Handling			39
174. 175. 176. 177. 178.	0 1 2 3 0 1 2 3 0 1 2 3 0 1 2 3 0 1 2 3	Awaken a few hours after falling asleep, hard to get back to sleep Crave sweets Binge or uncontrolled eating Excessive appetite Crave coffee or sugar in the afternoon Sleepy in afternoon Fatigue that is relieved by eating	181. 182. 183. 184.	0 1 2 3 0 1 2 3 0 1 2 3 0 1 2 3	Headache if meals are skipped or delayed Irritable before meals Shaky if meals delayed Family members with diabetes (0=none, 1=1 or 2, 2=3 or 4, 3=more than 4) Frequent thirst Frequent urination
Sec	tion 8 – \	Vitamin Need		· · · · · · · · · · · · · · · · · · ·	84
186. 187. 188. 189. 190. 191. 192. 193. 194. 195. 196. 197.	0 1 2 3 0 1 2 3 0 1 2 3 0 1 2 3 0 1 2 3 0 1 2 3 0 1 2 3 0 1 2 3 0 1 2 3 0 1 2 3 0 1 2 3 0 1 2 3 0 1 2 3 0 1 2 3 0 1 2 3 0 1 2 3 0 1 2 3 0 1 2 3 0 1 2 3	Muscles become easily fatigued Feel exhausted or sore after moderate exercise Vulnerable to insect bites Loss of muscle tone, heaviness in arms/legs Enlarged heart or congestive heart failure Pulse below 65 per minute (0=no, 1=yes) Ringing in the ears (Tinnitus) Numbness, tingling or itching in hands and feet Depressed Fear of impending doom Worrier, apprehensive, anxious	201. 202. 203. 204. 205. 206. 207. 208. 209. 210.	0 1 2 3 0 1 2 3	Can hear heart beat on pillow at night Whole body or limb jerk as falling asleep Night sweats Restless leg syndrome Cracks at corner of mouth (Cheilosis) Fragile skin, easily chaffed, as in shaving Polyps or warts MSG sensitivity Wake up without remembering dreams Small bumps on back of arms Strong light at night irritates eyes Nose bleeds and/or tend to bruise easily
Sec	tion 9 – A	Adrenal			78
213. 214. 215. 216. 217. 218. 219. 220.	0 1 2 3 0 1 2 3 0 1 2 3 0 1 2 3 0 1 2 3 0 1 2 3 0 1 2 3 0 1 2 3 0 1 2 3 0 1 2 3 0 1 2 3 0 1 2 3 0 1 2 3 0 1 2 3 0 1 2 3 0 1 2 3	Tend to be a "night person" Difficulty falling asleep Slow starter in the morning Tend to be keyed up, trouble calming down Blood pressure above 120/80	227. 228. 229. 230. 231. 232. 233. 234. 235. 236. 237.	0 1 2 3 0 1 2 3	Arthritic tendencies Crave salty foods Salt foods before tasting Perspire easily Chronic fatigue, or get drowsy often Afternoon yawning
Sec	tion 10 –	Pituitary			29
239. 240. 241. 242. 243. 244.	0 1 0 1 0 1 0 1 0 1 2 3 0 1 2 3 0 1 2 3	Height over 6' 6" (0=no, 1=yes) Early sexual development (before age 10) (0=no, 1=yes) Increased libido Splitting type headache Memory failing Tolerate sugar, feel fine when eating sugar (0=no, 1=yes)	247. 248. 249. 250.	0 1 2 3 0 1 2 3 0 1 2 3 0 1 2 3	Weight gain around hips or waist

KEY: 0=No, symptom does not occur	2=Moderate symptom, occurs occasionally (weekly)
1=Yes, minor or mild symptom, rarely occurs (monthly)	3=Severe symptom, occurs frequently (daily)

Section 11	- Thyroid			, , = 1, 1 = 4, 1 = 4 = 4 = 4 = 4 = 4 = 4 = 4 = 4 = 4 =	48
	Sensitive/allergic to iodine	260.	0 1 2 3	Mentally sluggish, reduced initiative	40
253. 0 1 2 3		261.	0 1 2 3		
	appetite	262.	0 1 2 3	Sensitive to cold, poor circulation (cold hands	
254 . 0 1 2 3	Nervous, emotional, can't work under pressure		0 1 2 0	and feet)	
255 . 0 1 2 3	Inward trembling	263.	0 1 2 3	Constipation, chronic	
256. 0 1 2 3		264.	0 1 2 3		
257. 0 1 2 3	Fast pulse at rest	265.	0 1 2 3	Morning headaches, wear off during the day	
258. 0 1 2 3		266.	0 1 2 3	-	
259 . 0 1 2 3	Difficulty losing weight	267.	0 1 2 3	Seasonal sadness	
Section 12	- Men Only				27
268 . 0 1 2 3	Prostate problems	272.	0 1 2 3	Waking to urinate at night	
269 . 0 1 2 3	Difficulty with urination, dribbling	273.	0 1 2 3	•	
	Difficult to start and stop urine stream	274.	0 1 2 3	Pain on inside of legs or heels	
271. 0 1 2 3	Pain or burning with urination	275.	0 1 2 3	Feeling of incomplete bowel evacuation	
		276.	0 1 2 3	Decreased sexual function	
Section 13	- Women Only				60
277. 0 1 2 3	Depression during periods	287.	0 1 2 3	Breast fibroids, benign masses	
	Mood swings associated with periods (PMS)	288.	0 1 2 3	Painful intercourse (dysparenia)	
	Crave chocolate around periods	289.	0 1 2 3	Vaginal discharge	
280 . 0 1 2 3	Breast tenderness associated with cycle	290.	0 1 2 3	-	
	Excessive menstrual flow	291.	0 1 2 3	Vaginal itchiness	
	Scanty blood flow during periods	292.	0 1 2 3	Gain weight around hips, thighs and buttocks	
283. 0 1 2 3		293.	0 1 2 3	Excess facial or body hair	
	Variations in menstrual cycles	294.	0 1 2 3	Hot flashes	
285 . 0 1 2 3		295.	0 1 2 3	Night sweats (in menopausal females)	
286. 0 1 2 3	Uterine fibroids	296.	0 1 2 3	Thinning skin	
Section 14	- Cardiovascular				30
		202	0.4.0.0	Andrea accell appropriate at and of day.	00
	Aware of heavy and/or irregular breathing Discomfort at high altitudes	302. 303.	0 1 2 3	Ankles swell, especially at end of day	
299 . 0 1 2 3		303. 304.	0 1 2 3 0 1 2 3	о б	
300 . 0 1 2 3	Compelled to open windows in a closed room	304. 305.	0 1 2 3	Dull pain or tightness in chest and/or radiate	
301 . 0 1 2 3	Shortness of breath with moderate exertion	303.	0 1 2 3	into right arm, worse with exertion	
0 1 2 0	Choraness of breath with moderate exertion	306.	0 1 2 3	Muscle cramps with exertion	
Section 15	- Kidney and Bladder			·	13
	Pain in mid-back region	210	0 4 0 0	Cloudy bloody or darkoned uring	
307. 0 1 2 3		310.		Cloudy, bloody or darkened urine Urine has a strong odor	
309 . 0 1	History of kidney stones (0=no, 1=yes)	311.	0 123	Offile has a strong odor	
Section 16	- Immune system	·			30
312 . 0 1 2 3	Runny or drippy nose	317.	0 1 2 2	Never get sick (0 = sick only 1 or 2 times in la	
313 . 0 1 2 3	Catch colds at the beginning of winter	517.	0 1 2 3	Never get sick (0 = sick only 1 or 2 times in la: 2 years, 1 = not sick in last 2 years, 2 = not	ા
314 . 0 1 2 3	Mucus producing cough			sick in last 4 years, 3 = not sick in last 7 years	.1
315 . 0 1 2 3	Frequent colds or flu (0=1 or less per year, 1=2	318.	0 1 2 3	Acne (adult))
2.2. 0 1 2 3	to 3 times per year, 2=4 to 5 times per year, 3=6	319.	0 1 2 3	,	
	or more times per year, 2–4 to 5 times per year, 5–6	320.	0 1 2 3		
316. 0 1 2 3	Other infections (sinus, ear, lung, skin, bladder,	320. 321.	0 1 2 3		
	kidney, etc.) (0=1 or less per year, 1=2 to 3	V21.	0123	Shingles, Chronic Fatigue Syndrome, Hepatiti	s
	times per year, 2=4 to 5 times per year, 3=6 or			or other chronic viral condition (0 = no, 1 = yes	
	more times per year)			in the past, 2 = currently mild condition, 3 =	_
	, ,			severe)	
				33.3.3/	

KEY:	0=No, symptom does not occur	2=Moder
	1=Yes, minor or mild symptom, rarely occurs (monthly)	3=Sever